#### **Normal Light Series**



use 2 pcs No. 1AA battery rated vol: 3V current: 150MA visual distance: 500M working duration: 80H color of light: normal light only, flash color of cover: white, red, blue, green, yellow Remark: May increase with metal sets and amidst lightning flash

illuminator: Normal Bulbs







064 YL-2B

063 YL-2A

065 YL-2C

### Super Light Series (Save 10% power)



# Super Light Series - B (Save 40% power)



Illuminator: Imported tube of frequency flash

Use 2 pcs No . 1 AA battery.

Rated vol: 3V Current: 100MA

Visual distance: 3000M Working duration: 200 h Color of light: white only,flash

Color of cover: white,red,blue,green,yellow

Model: 109, 062, 068





Illuminator: imported LED tube. Use 1 pc No. 1 AA battery. Rated vol:1.5V Current:35MA visual distance:1000M Working duration: 240 h Color of light: red only, flash Color of cover: white











169 YLS-2

168 YLS-1

Illuminator: imported LED tube. Use 2 pcs No. 1 AA battery. Rated vol:3V Current-70MA visual distance:1000M Working duration: 500 h Color of light: red only, flash

Color of cover: white

Illuminator: imported LED tube. Use 1 pc No. 1 AA battery. Rated vol:1.5V Current:35MA visual distance:1000M Working duration: 200 h Color of light: red, white, blue,

green, orange, flash interchangeable

Color of cover white

Illuminator: imported LED tube. Use 2 pcs No. 1 AA battery. Rated vol:3V Current:70MA visual distance:1000M Working duration: 500 h Color of light: red, white, blue, green, orange. flash interchangeable Color of cover: white

Colourful Light Series (Save 300% power)



#### SUPER POWER SAVING

Color light luminous objects

illuminator: imported red tube.

use 2 pcs No.1 AA battery.

rated vol: 3V current: 40MA

visual distance: 1500M

working duration: 600 H

color of light: white,blue,green,flash

color of cover: white

Model: 104, 105, 106



104 YLH-2A (White light) 105 YLH-2B (Blue light) 106 YLH-2C (Green light)



Red light electronic luminous objects

Illuminator: imported LED tube

Use 2 pcs No. 1 AA battery Rated vol: 3V

Current: 50mA

Visual distance: 1000M

Color of the light: Red only flach

Color of the cover: white

working duration: 240H



YLF-2









YLD-2

YLH-2D (Red Light) YLH-2E (Yellow Light)











064YL-2B

















## **Perfect Design Good Contacts**

This drive optical network lights and the colorful new torpedo lights products range is use of new improved device access by luminous objects bottom cathode metal with top of spring-loaded contacts, contacts larger, use more flexibility and must change the old generation network light bending of "spring-loaded" installation use error-prone, lean, exposed the defects.

